

REACH Statement

AMPIRE CO., LTD herewith informs about the latest update on the REACH regulations. Our product including (but not limited to) packing comply Regulation (EC) 1907/2006 (REACH, Registration, Evaluation, Authorization and Restriction of Chemical substance), and substances regulated in SVHC (Substance of Very High Concern) list are not above 0.1% (1000ppm) of mass ratio.

| No. | 參考中文名稱 | 英文名稱 Substance Name | EC No. | CAS No. |
|-----|---------------------|---|-----------|-------------|
| 1 | 鄰苯二甲酸二(2-乙基己基)酯 | Bis (2-ethylhexyl)phthalate (DEHP) | 204-211-0 | 117-81-7 |
| 2 | 五氧化二砷 | Diarsenic pentaoxide | 215-116-9 | 1303-28-2 |
| 3 | 六溴環十二烷及所有主要的非鏡像異構物 | Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: | | |
| | | Alpha-hexabromocyclododecane | - | 134237-50-6 |
| | | Beta-hexabromocyclododecane | - | 134237-51-7 |
| | | Gamma-hexabromocyclododecane | - | 134237-52-8 |
| | | Hexabromocyclododecane | 247-148-4 | 25637-99-4 |
| | | 1,2,5,6,9,10-hexabromocyclododecane | 221-695-9 | 3194-55-6 |
| 4 | 鄰苯二甲酸丁酯苯甲酯 | Benzyl butyl phthalate (BBP) | 201-622-7 | 85-68-7 |
| 5 | 砷酸氫鉛 | Lead hydrogen arsenate | 232-064-2 | 7784-40-9 |
| 6 | 短鏈氯化石蠟 | Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) | 287-476-5 | 85535-84-8 |
| 7 | 蒽 | Anthracene | 204-371-1 | 120-12-7 |
| 8 | 三氧化二砷 | Diarsenic trioxide | 215-481-4 | 1327-53-3 |
| 9 | 鄰苯二甲酸二丁酯 | Dibutyl phthalate (DBP) | 201-557-4 | 84-74-2 |
| 10 | 三乙基砷酸酯 | Triethyl arsenate | 427-700-2 | 15606-95-8 |
| 11 | 氧化三丁錫 | Bis(tributyltin)oxide (TBTO) | 200-268-0 | 56-35-9 |
| 12 | 4,4' -二氨基二苯甲烷 | 4,4'-Diaminodiphenylmethane (MDA) | 202-974-4 | 101-77-9 |
| 13 | 5-叔丁基-2,4,6-三硝基間二甲苯 | 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene) | 201-329-4 | 81-15-2 |
| 14 | 重鉻酸鈉·二倍結晶水 | Sodium dichromate | 234-190-3 | 7789-12-0 |

| | | | | |
|----|------------------------|--|--------------|------------|
| | | | | 10588-01-9 |
| 15 | 蔥油,蔥糊 | Anthracene oil, anthracene paste | 292-603-2 | 90640-81-6 |
| 16 | 鄰苯二甲酸二異丁酯 | Diisobutyl phthalate (DIBP) | 201-553-2 | 84-69-5 |
| 17 | 蔥油,蔥糊,輕油 | Anthracene oil, anthracene paste, distn. lights | 295-278-5 | 91995-17-4 |
| 18 | 黃色硫化鉻酸鉛 (C.I.黃色 34) | Lead sulfochromate yellow (C.I. Pigment Yellow 34) | 215-693-7 | 1344-37-2 |
| 19 | 煤瀝青,高溫 | Pitch, coal tar, high temperature | 266-028-2 | 65996-93-2 |
| 20 | 氧化鋯矽酸鋁 陶瓷耐火纖維 | Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm). c) alkaline oxide and alkali earth oxide | 650-017-00-8 | - |
| 21 | 矽酸鋁陶瓷耐火纖維 | Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm) c) alkaline oxide and alkali earth oxide ($\text{Na}_2\text{O}+\text{K}_2\text{O}+\text{CaO}+\text{MgO}+\text{BaO}$) content less or equal to 18% by weight | 650-017-00-8 | - |

晶采光電科技股份有限公司



晶采光電科技股份有限公司

AMPIRE CO., LTD

4F., No.116, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)

Tel: 886-2-26967269

Fax: 886-2-26967270

Email: www@ampire.com.tw

| | | | | |
|----|---------------------------|---|-----------|------------|
| 22 | 蒽油 | Anthracene oil | 292-602-7 | 90640-80-5 |
| 23 | 蒽油,蒽糊,蒽醌分離液 | Anthracene oil, anthracene paste, anthracene fraction | 295-275-9 | 91995-15-2 |
| 24 | 三2-(氯乙基)磷酸酯 | Tris(2-chloroethyl)phosphate | 204-118-5 | 115-96-8 |
| 25 | 2,4-二硝基甲苯 | 2,4-Dinitrotoluene | 204-450-0 | 121-14-2 |
| 26 | 蒽油,含蒽量少 | Anthracene oil, anthracene-low | 292-604-8 | 90640-82-7 |
| 27 | 鉻酸鉛 | Lead chromate | 231-846-0 | 7758-97-6 |
| 28 | 紅色鉬鉻酸鉛硫酸鹽 (C.I.紅色 104)*** | Lead chromate molybdate sulphate red (C.I. Pigment Red 104) | 235-759-9 | 12656-85-8 |
| 29 | 丙烯醯胺 | Acrylamide | 201-173-7 | 79-06-1 |
| 30 | 硼酸 | Boric acid | 233-139-2 | 10043-35-3 |
| | | Boric acid, crude natural | 234-343-4 | 11113-50-1 |
| 31 | 鉻酸鉀 | Potassium chromate | 232-140-5 | 7789-00-6 |
| 32 | 鉻酸鈉 | Sodium chromate | 231-889-5 | 7775-11-3 |
| 33 | 三氯乙烯 | Trichloroethylene | 201-167-4 | 79-01-6 |
| 34 | 重鉻酸銨 | Ammonium dichromate | 232-143-1 | 7789-09-5 |
| 35 | 重鉻酸鉀 | Potassium dichromate | 231-906-6 | 7778-50-9 |
| 36 | 水合七氧四硼酸二鈉 | Tetraboron disodium heptaoxide, hydrate | 235-541-3 | 12267-73-1 |
| 37 | 無水四硼酸二鈉 | Disodium tetraborate, anhydrous | 215-540-4 | 1303-96-4 |
| | | | | 1330-43-4 |
| | | | | 12179-04-3 |
| 38 | 乙二醇乙醚 | 2-Ethoxyethanol | 203-804-1 | 110-80-5 |
| 39 | 硫酸鈷 (二價) | Cobalt(II) sulphate | 233-334-2 | 10124-43-3 |
| 40 | 硝酸鈷 (二價) | Cobalt(II) dinitrate | 233-402-1 | 10141-05-6 |
| 41 | 三氧化鉻 | Chromium trioxide | 215-607-8 | 1333-82-0 |
| 42 | 乙二醇甲醚 | 2-Methoxyethanol | 203-713-7 | 109-86-4 |
| 43 | 醋酸鈷 (二價) | Cobalt(II) diacetate | 200-755-8 | 71-48-7 |
| 44 | 碳酸鈷 (二價) | Cobalt(II) carbonate | 208-169-4 | 513-79-1 |
| 45 | 從三氧化鉻生成的酸類 與其它寡體： | Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid. | - | - |
| | 鉻酸 | Chromic acid | 231-801-5 | 7738-94-5 |
| | 重鉻酸 | Dichromic acid | 236-881-5 | 13530-68-2 |



晶采光電科技股份有限公司

AMPIRE CO., LTD

4F., No.116, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)

Tel: 886-2-26967269

Fax: 886-2-26967270

Email: www@ampire.com.tw

| | | | | |
|----|---------------------------------------|---|-----------|-----------------------|
| | 鉻酸與重鉻酸的其它寡體 | Oligomers of chromic acid and dichromic acid | - | - |
| 46 | 鄰苯二甲酸二-C6-8-支鏈庚酯 | 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) | 276-158-1 | 71888-89-6 |
| 47 | 乙二醇乙醚醋酸酯 | 2-Ethoxyethyl acetate | 203-839-2 | 111-15-9 |
| 48 | 鉻酸鋇 | Strontium chromate | 232-142-6 | 7789-06-2 |
| 49 | 聯胺或水合聯胺 | Hydrazine | 206-114-9 | 7803-57-8 302-01-2 |
| 50 | 1-甲基吡咯烷酮 | 1-Methyl-2-pyrrolidone | 212-828-1 | 872-50-4 |
| 51 | 鄰苯二甲酸二(C7-11支鏈與直鏈)烷基酯 | 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) | 271-084-6 | 68515-42-4 |
| 52 | 1,2,3-三氯丙烷 | 1,2,3-Trichloropropane | 202-486-1 | 96-18-4 |
| 53 | 氯化鈷 | Cobalt dichloride | 231-589-4 | 7646-79-9 |
| 54 | 鉻酸鉻 | Dichromium tris(chromate) | 246-356-2 | 24613-89-6 |
| 55 | 酚酞 | Phenolphthalein | 201-004-7 | 77-09-8 |
| 56 | 4,4'-亞甲雙(2-氯苯胺)或稱 2,2'-二氯-4,4'-亞甲基二苯胺 | 2,2'-dichloro-4,4'-methylenedianiline (MOCA) | 202-918-9 | 101-14-4 |
| 57 | 史蒂芬酸鉛 或稱 2,4,6-三硝基間苯二酚鉛 | Lead styphnate | 239-290-0 | 15245-44-0 |
| 58 | 疊氮化鉛 | Lead azide Lead diazide | 236-542-1 | 13424-46-9 |
| 59 | 鄰苯二甲酸二(2-甲氧基乙)酯 | Bis(2-methoxyethyl) phthalate | 204-212-6 | 117-82-8 |
| 60 | 甲醛與苯胺寡聚反應的產物(工業級MDA) | Formaldehyde, oligomeric reaction products with aniline (technical MDA) | 500-036-1 | 25214-70-4 |
| 61 | 4-三級辛基苯酚 | 4-(1,1,3,3-tetramethylbutyl)phenol | 205-426-2 | 140-66-9 |
| 62 | 鉻酸五鎘八氫氧化物 | Pentazinc chromate octahydroxide | 256-418-0 | 49663-84-5 |
| 63 | 1,2-二氯乙烷 | 1,2-dichloroethane | 203-458-1 | 107-06-2 |
| 64 | 砷酸鉛 | Trilead diarsenate | 222-979-5 | 3687-31-8 |
| 65 | 鄰-甲氧苯胺 | 2-Methoxyaniline; o-Anisidine | 201-963-1 | 90-04-0 |
| 66 | 砷酸 | Arsenic acid | 231-901-9 | 7778-39-4 |
| 67 | N,N-二甲基乙醯胺 | N,N-dimethylacetamide (DMAC) | 204-826-4 | 127-19-5 |
| 68 | 二苦味酸鉛 | Lead dipicrate | 229-335-2 | 6477-64-1 |
| 69 | 氫氧化鉻酸鎘鉀 | Potassium hydroxyoctaoxodizincatedichromate | 234-329-8 | 11103-86-9 |



晶采光電科技股份有限公司

AMPIRE CO., LTD

4F., No.116, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)

Tel: 886-2-26967269

Fax: 886-2-26967270

Email: www@ampire.com.tw

| | | | | |
|----|--|--|------------|------------|
| 70 | 二乙二醇二甲醚 | Bis(2-methoxyethyl) ether | 203-924-4 | 111-96-6 |
| 71 | 砷酸鈣 | Calcium arsenate | 231-904-5 | 7778-44-1 |
| 72 | 三乙二醇二甲醚 | 1,2 -bis(2-methoxyethoxy)ethane (TEGDME; triglyme) | 203 -977-3 | 112-49-2 |
| 73 | 乙二醇二甲醚 | 1,2-dimethoxyethane;ethylene glycol dimethyl ether (EGDME) | 203-794-9 | 110-71-4 |
| 74 | 氧化硼 | Diboron trioxide | 215-125-8 | 1303-86-2 |
| 75 | 甲醯胺 | Formamide | 200-842-0 | 75-12-7 |
| 76 | 甲基磺酸鉛 | Lead(II) bis(methanesulfonate) | 401-750-5 | 17570-76-2 |
| 77 | 異氰尿酸三縮水甘油酯 | 1,3,5 -Tris(oxiran -2-ylmethyl) -1,3,5 -triazinane -2,4,6 -trione (TGIC) | 219-514-3 | 2451-62-9 |
| 78 | β型異氰尿酸 三縮水甘油酯 | 1,3,5 -tris[(2S and 2R) -2,3-epoxypropyl] -1,3,5 -triazine-2,4,6 2,4,6 -(1H,3H,5H)-trione | 423-400-0 | 59653-74-6 |
| 79 | 4,4' -二(N,N -二甲胺基) 二苯基酮 (米其勒酮) | 4,4' -bis(dimethylamino)benzophenone (Michler's ketone) | 202-027-5 | 90-94-8 |
| 80 | 4,4' -亞甲基雙 (N,N -二甲胺基) (米其勒鹼) | N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) | 202-959-2 | 101-61-1 |
| 81 | 鹼性紫 3 | [4-[4,4'-bis(dimethylamino)benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) | 208-953-6 | 548-62-9 |
| 82 | C.I. 鹼性藍 26 ([4-[[4-苯胺基-1-萘 基]4 -(二甲基胺)苯基] 亞甲基]環己-2,5-二烯 -1-亞基]二甲基氯化銨 | [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phen yl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) | 219-943-6 | 2580-56-5 |
| 83 | C.I. 溶劑藍4 α,α-雙 [4-(二甲基胺基)苯基]- 4-(苯基胺基)-1-萘甲醇 | α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) | 229-851-8 | 6786-83-0 |
| 84 | 4,4' -雙(二甲基胺 基)-4' ' -(甲基胺基)三 苯基醇(ECHA) | 4,4'-bis(dimethylamino)-4''-(methylamino) trityl alcohol | 209-218-2 | 561-41-1 |
| 85 | 燒綠石錫鉛黃 | Pyrochlore, antimony lead yellow | 232-382-1 | 8012-00-8 |
| 86 | 6-甲氧基-間-甲苯胺 | 6-methoxy-m-toluidine (p-cresidine) | 204-419-1 | 120-71-8 |

| | | | | |
|----|------------------------------------|---|-----------|-------------|
| 87 | 全氟十一酸 | Henicosafuoroundecanoic acid | 218-165-4 | 2058-94-8 |
| 88 | 甲基六氫鄰苯二甲酐，包括順式及反立體異構物，以及所有可能的異構物組合 | Hexahydromethylphthalic anhydride including cis - and trans- stereo isomeric forms and all possible combinations of the isomers | | |
| | 甲基六氫鄰苯二甲酐， | Hexahydromethylphthalic anhydride, | 247-094-1 | 25550-51-0 |
| | 四氫-4-甲基鄰苯二甲酸酐 | Tetrahydro-4-methylphthalic anhydride | 251-823-9 | 34090-76-1 |
| | 4-甲基六氫鄰苯二甲酐 | Hexahydro-4-methylphthalic anhydride | 243-072-0 | 19438-60-9 |
| | 3-甲基六氫鄰苯二甲酐 | Hexahydro-3-methylphthalic anhydride | 256-356-4 | 48122-14-1 |
| | 1-甲基六氫鄰苯二甲酐 | Hexahydro-1-methylphthalic anhydride | 260-566-1 | 57110-29-9 |
| 89 | 六氫鄰苯二甲酐，所有可能順反異構物之組合 | Cyclohexane-1,2-dicarboxylic anhydride all possible combinations of the cis-and trans -isomers | | |
| | 順1,2-環己二甲酸酐 | cis-cyclohexane-1,2-dicarboxylic anhydride | 236-086-3 | 13149-00-3 |
| | 六氫鄰苯二甲酐 | Cyclohexane-1,2-dicarboxylic anhydride | 201-604-9 | 85-42-7 |
| | 反 1,2 -環己二甲酸酐 | trans-cyclohexane-1,2-dicarboxylic anhydride | 238-009-9 | 14166-21-3 |
| 90 | 二氯化二丁錫 | Dibutyltin dichloride (DBTC) | 211-670-0 | 683-18-1 |
| 91 | 二(四氟硼酸)鉛 | Lead bis(tetrafluoroborate) | 237-486-0 | 13814-96-5 |
| 92 | 硝酸鉛 | Lead dinitrate | 233-245-9 | 10099-74-8 |
| 93 | 矽酸鉛 | Silicic acid, lead salt | 234-363-3 | 11120-22-2 |
| 94 | 4-胺基偶氮苯 | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| 95 | 銻鈦鉛氧化物 | Lead titanium zirconium oxide | 235-727-4 | 12626-81-2 |
| 96 | 一氧化鉛 | Lead monoxide (lead oxide) | 215-267-0 | 1317-36-8 |
| 97 | 鄰-甲苯胺 | o-Toluidine | 202-429-0 | 95-53-4 |
| 98 | 3-乙基-2-甲基-2-(3-甲基丁基)-1,3-【口罅】啞 | 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 421-150-7 | 143860-04-2 |
| 99 | 摻雜鉛的矽酸鋇 | Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for ' toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index | 272-271-5 | 68784-75-8 |



晶采光電科技股份有限公司

AMPIRE CO., LTD

4F., No.116, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)

Tel: 886-2-26967269

Fax: 886-2-26967270

Email: www@ampire.com.tw

| | | | | |
|-----|---|---|-----------|-------------|
| | | number082-001-00-6 in Regulation (EC) No 1272/2008] | | |
| 100 | 鹼式碳酸鉛 | Trilead bis(carbonate)dihydroxide | 215-290-6 | 1319-46-6 |
| 101 | 呋喃 | Furan | 203-727-3 | 110-00-9 |
| 102 | 二甲基甲醯胺 | N,N-dimethylformamide | 200-679-5 | 68-12-2 |
| 103 | 乙氧化4-(1,1,3,3-四甲基丁基)苯酚 涵蓋明確定義物質及UVCB物質、聚合物及同系物 | 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues] | - | - |
| 104 | 支鏈和直鏈-4-壬基酚, 有烷基直鏈及/或支鏈以9個碳共價於酚的對位, 含蓋所有由單一或多種異構物組合的明確定義物質及UVCB物質 | 4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB-and well-defined substances which include any of the individual isomers or a combination thereof] | - | - |
| 105 | 4,4'-亞甲基二-鄰-甲苯胺 | 4,4'-methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| 106 | 硫酸二乙酯 | Diethyl sulphate | 200-589-6 | 64-67-5 |
| 107 | 硫酸二甲酯 | Dimethyl sulphate | 201-058-1 | 77-78-1 |
| 108 | 鹼式硫酸鉛 | Lead oxide sulfate | 234-853-7 | 12036-76-9 |
| 109 | 鈦酸鉛(II) | Lead titanium trioxide | 235-038-9 | 12060-00-3 |
| 110 | 鹼式乙酸鉛 | Aceticacid, lead salt, basic | 257-175-3 | 51404-69-4 |
| 111 | 二鹼式鄰苯二甲酸鉛 | [Phthalato(2-)]dioxotrilead | 273-688-5 | 69011-06-9 |
| 112 | 十溴二苯醚 | Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE) | 214-604-9 | 1163-19-5 |
| 113 | N-甲基乙醯胺 | N-methylacetamide | 201-182-6 | 79-16-3 |
| 114 | 達諾殺 | Dinoseb (6-sec-butyl-2,4-dinitrophenol) | 201-861-7 | 88-85-7 |
| 115 | 乙二醇二乙醚 | 1,2-Diethoxyethane | 211-076-1 | 629-14-1 |
| 116 | 三鹼式硫酸鉛 | Tetralead trioxide sulphate | 235-380-9 | 12202-17-4 |
| 117 | 鄰苯二甲酸正戊基異戊基酯 | N-pentyl-isopentylphthalate | - | 776297-69-9 |
| 118 | 雙(十八酸基)二氧三鉛 | Dioxobis(stearato)trilead | 235-702-8 | 12578-12-0 |
| 119 | 四乙基鉛 | Tetraethyllead | 201-075-4 | 78-00-2 |


| | | | | |
|-----|--|---|-----------|------------|
| 120 | 硫酸四氧化五鉛 | Pentalead tetraoxide sulphate | 235-067-7 | 12065-90-6 |
| 121 | 全氟十三酸 | Pentacosafuorotridecanoic acid | 276-745-2 | 72629-94-8 |
| 122 | 全氟十二酸 | Tricosafuorododecanoic acid | 206-203-2 | 307-55-1 |
| 123 | 全氟十四酸 | Heptacosafuorotetradecanoic acid | 206-803-4 | 376-06-7 |
| 124 | 1-溴丙烷 | 1-bromopropane (n-propyl bromide) | 203-445-0 | 106-94-5 |
| 125 | 甲氧基乙酸 | Methoxyacetic acid | 210-894-6 | 625-45-6 |
| 126 | 4-甲基-間-苯二胺 (2,4-二胺基甲苯) | 4-methyl-m-phenylenediamine (toluene-2,4-diamine) | 202-453-1 | 95-80-7 |
| 127 | 環氧丙烷 | Methyloxirane (Propylene oxide) | 200-879-2 | 75-56-9 |
| 128 | 二鹼式亞磷酸鉛 | Trilead dioxide phosphonate | 235-252-2 | 12141-20-7 |
| 129 | 鄰-胺基偶氮甲苯 | o-aminoazotoluene | 202-591-2 | 97-56-3 |
| 130 | 支鏈和直鏈1,2- 苯二甲酸二戊酯 | 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | 284-032-2 | 84777-06-0 |
| 131 | 4,4'-氧二苯胺及其鹽類 | 4,4'-oxydianiline and its salts | 202-977-0 | 101-80-4 |
| 132 | 四氧化三鉛(鉛丹) | orange lead (Lead tetroxide) | 215-235-6 | 1314-41-6 |
| 133 | 4-胺基聯苯 | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 |
| 134 | 鄰苯二甲酸二異戊酯 | Diisopentylphthalate | 210-088-4 | 605-50-5 |
| 135 | C16-18-脂肪酸鉛鹽 | Fatty acids, C16-18, lead salts | 292-966-7 | 91031-62-8 |
| 136 | 1,1'-偶氮雙甲醯胺 | Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) | 204-650-8 | 123-77-3 |
| 137 | 亞硫酸鉛 | Sulfurous acid, lead salt, dibasic | 263-467-1 | 62229-08-7 |
| 138 | 氰胺化鉛 | Lead cyanamidate | 244-073-9 | 20837-86-9 |
| 139 | 鎘 | Cadmium | 231-152-8 | 7440-43-9 |
| 140 | 氧化鎘 | Cadmium oxide | 215-146-2 | 1306-19-0 |
| 141 | 全氟辛酸銨 | Ammoniumpentadecafluorooctanoate (APFO) | 223-320-4 | 3825-26-1 |
| 142 | 全氟辛酸 | Pentadecafluorooctanoic acid (PFOA) | 206-397-9 | 335-67-1 |
| 143 | 鄰苯二甲酸二戊酯 | Dipentyl phthalate (DPP) | 205-017-9 | 131-18-0 |
| 144 | 分支或線性的壬基酚，包 括含有9個碳烷基鏈的所 有獨立的同分異構物和 所有含有線性或分支9個 碳烷基鏈的UVCB物質 | 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB-and well-defined substances, polymers and | - | - |

| | | | | |
|-----|---|--|------------------------|--------------------------|
| | | homologues, which include any of the individual isomers and/or combinations thereof] | | |
| 145 | 硫化鎘 | Cadmium sulphide | 215-147-8 | 1306-23-6 |
| 146 | 磷苯二甲酸二己酯 | Dihexyl phthalate | 201-559-5 | 84-75-3 |
| 147 | 直接紅28 | Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)] bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) | 209-358-4 | 573-58-0 |
| 148 | 直接黑38 | Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo] [1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo) naphthalene-2,7-disulphonate (C.I. Direct Black 38) | 217-710-3 | 1937-37-7 |
| 149 | 仲乙硫脲 (咪唑啉-2-硫酮) | Imidazolidine-2-thione; 2-imidazoline-2-thiol | 202-506-9 | 96-45-7 |
| 150 | 醋酸鉛 | Lead di(acetate) | 206-104-4 | 301-04-2 |
| 151 | 磷酸三(二甲苯)酯 | Trixylyl phosphate | 246-677-8 | 25155-23-1 |
| 152 | 氯化鎘 | Cadmium chloride | 233-296-7 | 10108-64-2 |
| 153 | 支鏈和直鏈的1,2-苯二甲酸二己酯 | 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear | 271-093-5 | 68515-50-4 |
| 154 | 過氧偏硼酸鈉 | Sodium peroxometaborate | 231-556-4 | 7632-04-4 |
| 155 | 過硼酸鈉·鈉鹽等 | Sodium perborate; perboric acid, sodium salt | 239-172-9 234-390-0 | - |
| 156 | 氟化鎘 | Cadmium fluoride | 232-222-0 | 7790-79-6 |
| 157 | 硫酸鎘 | Cadmium sulphate | 233-331-6 | 10124-36-4 31119-53-6 |
| 158 | 2-苯并三唑-2-基-4,6-二-三級-丁基苯酚 (UV-320) | 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) | 223-346-6 | 3846-71-7 |
| 159 | 2-(2H-苯并三唑-2-基)-4,6-二-三級戊基苯酚 (UV-328) | 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) | 247-384-8 | 25973-55-1 |
| 160 | 10-乙基-4,4-二辛基-7-側氧-8-氧代-3,5-二硫代-4-錫代十四酸2-乙基己酯(DOTE) | 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) | 239-622-4 | 15571-58-1 |

| | | | | |
|-----|--|--|-----------|------------|
| 161 | 10-乙基-4,4-二辛基-7-氧-8-氧代-3,5-二硫代-4-錫代十四酸2-乙基己酯和10-乙基-4-[[2-[(2-乙基己基)氧]-2-氧乙基]硫代]-4-辛基-7-氧-8-氧代-3,5-二硫代-4-錫代十四酸2-乙基己酯的反應產物(DOTE 和 MOTE 的反應產物) | reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) | | |
| 162 | 1,2-苯二甲酸二C6-10烷基酯；1,2-苯二甲酸混合癸與己和辛二酯，包含≥0.3%的鄰苯二甲酸二己酯(DNHP·EC No. 201-559-5·CAS No. 84-75-3) | 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5) | | |
| | | 1,2 -Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters | 272-013-1 | 68648-93-1 |
| | | 1,2 -Benzenedicarboxylic acid, di-C6-10-alkyl esters | 271-094-0 | 68515-51-5 |
| 163 | 包含以下[1]與[2]之所有單獨立體異構物與其組成。[1]5-二級丁基-2-(2,4-二甲基環己-3-烯-1-基)-5-甲基-1,3-二【口喩】【口柬】[2]5-二級丁基-2-(4,6-二甲基環己-3-烯-1-基)-5-甲基-1,3-二【口喩】【口柬】 | 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof] | | |
| 164 | 硝苯 | Nitrobenzene | 202-716-0 | 98-95-3 |
| 165 | 2,4-貳三級丁基-6-(5-氯苯三唑-2-基)苯酚(UV-327) | 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) | 223-383-8 | 3864-99-1 |
| 166 | 2-(2H-苯并三唑-2-基)-4-三級丁基-6-二級丁基苯酚(UV-350) | 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350) | 253-037-1 | 36437-37-3 |
| 167 | 1,3-丙磺內酯 | 1,3-propanesultone | 214-317-9 | 1120-71-4 |

| | | | | |
|-----|---|--|-----------|---------------|
| 168 | 全氟壬酸及其鈉與銨鹽 | Perfluorononan-1-oic-acid and its sodium and ammonium salt | | |
| | | Ammonium salts of perfluorononan-1-oic-acid | - | -, 4149-60-4 |
| | | Perfluorononan-1-oic-acid | 206-801-3 | 375-95-1 |
| | | Sodium salts of perfluorononan-1-oic-acid | - | -, 21049-39-8 |
| 169 | 苯并[a]芘 | Benzo[def]chrysene (Benzo[a]pyrene) | 200-028-5 | 50-32-8 |
| 170 | 雙酚A | 4,4'-isopropylidenediphenol | 201-245-8 | 80-05-7 |
| 171 | 支鏈與直鏈4-庚基苯酚 烷基直鏈及/或支鏈以7 個碳共價於酚的對位, 含 蓋所有由單一或多種異 構物組合的明確定義物 質及UVCB物質 | 4-Heptylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB-and well-defined substances which include any of the individual isomers or a combination thereof | - | - |
| 172 | 全氟癸酸, 及其鈉與銨鹽 | Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts | | |
| | 全氟癸酸 | Nonadecafluorodecanoic acid | 206-400-3 | 335-76-2 |
| | 全氟癸酸銨 | Ammonium nonadecafluorodecanoate | 221-470-5 | 3108-42-7 |
| | 全氟癸酸鈉 | Decanoic acid, nonadecafluoro-, sodium salt | - | 3830-45-3 |
| 173 | 對-(1,1-二甲基丙基)苯酚 | p-(1,1-dimethylpropyl)phenol | 201-280-9 | 80-46-6 |
| 174 | 全氟己-1-磺酸及其鹽類 (PFHxS) | Perfluorohexane-1-sulphonic acid and its salts | - | - |
| 175 | 1,2-苯并菲; (【++快】) | Chrysene | 205-923-4 | 218-01-9 |
| 176 | 苯[a]蔥 | Benz[a]anthracene | 200-280-6 | 56-55-3 |
| 177 | 硝酸鎘 | Cadmium nitrate | 233-710-6 | 10325-94-7 |
| 178 | 氫氧化鎘 | Cadmium hydroxide | 244-168-5 | 21041-95-2 |
| 179 | 碳酸鎘 | Cadmium carbonate | 208-168-9 | 513-78-0 |
| 180 | 1,6,7,8,9,14,15,16,17,17, ,18,18-十二氯五環 [12.2.1.16,9.02,13.05,10]十八碳-7,15-二烯 (“Dechlorane Plus” TM) [含有其任何單獨的反式 | 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropenta cyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene (“Dechlorane Plus” TM) [covering any of its individual anti- and syn-isomers or any combination thereof] | - | - |

| | | | | |
|-----|--|--|-----------|------------|
| | 和順式異構體或其任何組合] | | | |
| 181 | 1,3,4-噁二唑-2,5-二硫醇與甲醛和支鏈和直鏈4-庚基酚的反應產物 (RP-HP) [含有≥0.1% w/w 支鏈和直鏈的4-庚基酚] | Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear] | - | - |
| | | Formaldehyde, reaction products with branched and linear heptylphenol, carbon disulfide and hydrazine | 300-298-5 | 93925-00-9 |
| | | Reaction product of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and phenol, heptyl derivs. | 939-460-0 | - |
| 182 | 1,2,4-苯三甲酸酐 | Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride; TMA) | 209-008-0 | 552-30-7 |
| 183 | 苯并[g,h,i]芘 | Benzo[ghi]perylene | 205-883-8 | 191-24-2 |
| 184 | 十甲基環五矽氧烷 | Decamethylcyclopentasiloxane (D5) | 208-764-9 | 541-02-6 |
| 185 | 鄰苯二甲酸二環己酯 | Dicyclohexyl phthalate (DCHP) | 201-545-9 | 84-61-7 |
| 186 | 八硼酸二鈉 | Disodium octaborate | 234-541-0 | 12008-41-2 |
| 187 | 十二甲基環六矽氧烷 | Dodecamethylcyclohexasiloxane (D6) | 208-762-8 | 540-97-6 |
| 188 | 乙二胺 | Ethylenediamine (EDA) | 203-468-6 | 107-15-3 |
| 189 | 鉛 | Lead | 231-100-4 | 7439-92-1 |
| 190 | 八甲基環四矽氧烷 | Octamethylcyclotetrasiloxane (D4) | 209-136-7 | 556-67-2 |
| 191 | 氫化聯三苯 | Terphenyl, hydrogenated | 262-967-7 | 61788-32-7 |
| 192 | 2,2-雙(4'-羥苯基)-4-甲基戊烷 | 2,2-bis(4'-hydroxyphenyl)-4-methylpentane | 401-720-1 | 6807-17-6 |
| 193 | 苯并[k]1,2-苯并芘 | Benzo[k]fluoranthene | 205-916-6 | 207-08-9 |
| 194 | 1,2-苯并芘 | Fluoranthene | 205-912-4 | 206-44-0 |
| 195 | 菲 | Phenanthrene | 201-581-5 | 85-01-8 |
| 196 | 芘 | Pyrene | 204-927-3 | 129-00-0 |
| 197 | 1,7,7-三甲基-3-(苯亞甲基)雙環[2.2.1]庚-2-酮 (3-亞苄基樟腦) | 1,7,7-trimethyl-3-(phenylmethylene) bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor) | 239-139-9 | 15087-24-8 |
| 198 | 參(支鏈和直鏈4-壬基苯基)亞磷酸酯(TNPP) · 含有≥0.1% w / w的支鏈和 | Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, | - | - |



晶采光電科技股份有限公司

AMPIRE CO., LTD

4F., No.116, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)

Tel: 886-2-26967269

Fax: 886-2-26967270

Email: www@ampire.com.tw

| | | | | |
|-----|---|--|-----------|-------------|
| | 直鏈4-壬基酚(4-NP) | branched and linear (4-NP) | | |
| 199 | 4-三級丁酚 | 4-tert-butylphenol | 202-679-0 | 98-54-4 |
| 200 | 乙酸2-甲氧基乙酯 | 2-methoxyethyl acetate | 203-772-9 | 110-49-6 |
| 201 | 2,3,3,3-四氟-2-(七氟丙氧基)丙酸·其鹽類及其醯基鹵化物(包含其各自的異構體及其組合) | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides covering any of their individual isomers and combinations thereof | - | - |
| 202 | 鄰苯二甲酸二異己酯 | Diisohexyl phthalate | 276-090-2 | 71850-09-4 |
| 203 | 2-苄基-2-二甲胺基-4'-【口末】哌丁醯苯 | 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone | 404-360-3 | 119313-12-1 |
| 204 | 2-甲基-1-(4-甲基硫苯基)-2【口末】哌丙-1-酮 | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one | 400-600-6 | 71868-10-5 |
| 205 | 全氟丁烷磺酸及其鹽類 | Perfluorobutane sulfonic acid (PFBS) and its salts | - | - |
| 206 | 1-乙烯基咪唑 | 1-vinylimidazole | 214-012-0 | 1072-63-5 |
| 207 | 2-甲基咪唑 | 2-methylimidazole | 211-765-7 | 693-98-1 |
| 208 | 4-羥基苯甲酸丁酯 | Butyl 4-hydroxybenzoate | 202-318-7 | 94-26-8 |
| 209 | 二丁基雙(2,4-戊二酸根合-O,O')錫 | Dibutylbis(pentane-2,4-dionato-O,O')tin | 245-152-0 | 22673-19-4 |
| 210 | 雙(2-(2-甲氧基乙氧基)乙基)醚 | Bis(2-(2-methoxyethoxy)ethyl)ether | 205-594-7 | 143-24-8 |
| 211 | 二月桂酸二辛基錫；二辛基-錫烷雙(椰油醯氧基)衍生物；以及任何其他二辛基-錫烷雙(椰油醯氧基)衍生物且脂肪醯氧基部分的主要碳數為C12 | Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety | - | - |
| | 二月桂酸二辛基錫；二辛基-錫烷雙(椰油醯氧基)衍生物 | diocetyl tin dilaurate; stannane, dioctyl-, bis(coco acyloxy) derivs. | - | - |
| | 二辛基-錫烷雙(椰油醯氧基)衍生物 | Stannane, dioctyl-, bis(coco acyloxy) derivs. | 293-901-5 | 91648-39-4 |
| | 二月桂酸二辛基錫 | Diocetyl tin dilaurate | 222-883-3 | 3648-18-8 |
| 212 | 1,4-二【口罈】烷(1,4-二氧陸圓) | 1,4-dioxane | 204-661-8 | 123-91-1 |

| | | | | |
|-----|--|--|--------------------|--------------------------------|
| 213 | (1) 2,2 -雙(溴甲基 溴甲基)-1,3 -丙二醇(BMP) | (1)2,2-bis(bromomethyl)propane1,3-diol(BMP) | (1) 221-967-7 | (1) 3296-90-0 |
| | (2) 2,2-二甲基丙醇,三溴衍生物/3-溴-2,2-雙(溴甲基)-1-丙醇(TBNPA) | (2)2,2 -dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol(TBNPA); | (2) 253-057-0 - | (2) 36483-57-5 1522-92-5 |
| | (3)2,3-二溴-1-丙醇(2,3-DBPA) | (3)2,3-dibromo-1-propanol (2,3-DBPA) | (3) 202-480-9 | (3) 96-13-9 |
| 214 | 2-(4-三級丁基苄基)丙醛及其獨立體異構物 | 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers: | | |
| | | (2R)-3-(4-tert-butylphenyl)-2-methylpropanal | - | 75166-31-3 |
| | | 2-(4-tert-butylbenzyl)propionaldehyde | 201-289-8 | 80-54-6 |
| | | (2S)-3-(4-tert-butylphenyl)-2-methylpropanal | - | 75166-30-2 |
| 215 | 4,4'-(1-甲基亞丙基)雙酚(雙酚B) | 4,4'-(1-methylpropylidene)bisphenol | 201-025-1 | 77-40-7 |
| 216 | 戊二醛 | glutaral | 203-856-5 | 111-30-8 |
| 217 | 中鏈氯化石蠟(MCCP) | Medium-chain chlorinated paraffins (MCCP) | | |
| | [UVCB物質，由大於或等於80%直鏈氯代烷烴組成，其碳鏈長度範圍在C14至C17之間] | UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17 | - | - |
| 218 | 硼酸鈉鹽 | orthoboric acid, sodium salt: | | |
| | | boric acid (H3BO3), sodium salt, hydrate | - | 25747-83-5 |
| | | Boric acid (H3BO3), disodium salt | - | 22454-04-2 |
| | | Trisodium orthoborate | 238-253-6 | 14312-40-4 |
| | | Boric acid, sodium salt | 215-604-1 | 1333-73-9 |
| | | Orthoboric acid, sodium salt | 237-560-2 | 13840-56-7 |
| | | Boric acid (H3BO3), sodium salt (1:1) | - | 14890-53-0 |
| 219 | 由寡聚合反應形成具有主要C12支鏈烷基酚的烷基化(主要在對位)產物，包括任何獨立同分異構物及/或相關組合(PDDP) | Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP): | | |
| | | Phenol, 4-dodecyl, branched | - | 210555-94-5 |
| | | 4-isododecylphenol | - | 27459-10-5 |
| | | Phenol, 4-isododecyl- | - | 27147-75-7 |
| | | Phenol, dodecyl-, branched | 310-154-3 | 121158-58-5 |
| | | Phenol, (tetrapropenyl) derivatives | - | 74499-35-7 |

| | | | | |
|-----|--|--|---|--|
| | | Phenol, tetrapropylene- | - | 57427-55-1 |
| 220 | (±)-1,7,7-三甲基-3-[(4-甲基苯基)亞甲基]二環[2.2.1]庚烷-2-酮·包括任何獨立異構物及/或其組合 (4-MBC) | (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC) | - - - 253-242-6 - - - | 1782069-81-1 95342-41-9 852541-25-4 36861-47-9 741687-98-9 852541-30-1 852541-21-0 |
| 221 | 6,6'雙-三級-丁基-2,2'-亞甲基雙對甲酚 | 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol | 204-327-1 | 119-47-1 |
| 222 | 硫代磷酸S-(三環[5.2.1.0'2,6]-3-癸烯-8(或9)-基酯O-(異丙酯或異丁酯或2-乙基己酯)O-(異丙酯或異丁酯或2-乙基己酯) | S-(tricyclo(5.2.1.0'2,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 401-850-9 | 255881-94-8 |
| 223 | 三(2-甲氧基乙氧基)乙烯基矽烷 | tris(2-methoxyethoxy)vinylsilane | 213-934-0 | 1067-53-4 |
| 224 | N-(羥甲基)丙烯醯胺 | N-(hydroxymethyl)acrylamide | 213-103-2 | 924-42-5 |
| 225 | 1,2-二(2,4,6-三溴苯氧基)乙烷 | 1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribr | 253-692-3 | 37853-59-1 |
| 226 | 四溴雙酚A | 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol | 201-236-9 | 79-97-7 |
| 227 | 雙酚S | 4,4'-sulphonyldiphenol | 201-250-5 | 80-09-1 |
| 228 | 偏硼酸鋇 | Barium diboron tetraoxide | 237-222-4 | 13701-59-2 |
| 229 | 3,4,5,6-四溴-1,2-苯二羧酸雙(2-乙基己基)酯·包括包括任何單獨的異構體和/或其組合 | Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof | --- | --- |
| 230 | 4-羥基苯甲酸2-甲基丙酯 | Isobutyl 4-hydroxybenzoate | 224-208-8 | 4247-02-3 |
| 231 | 三聚氰胺 | Melamine | 203-615-4 | 108-78-1 |
| 232 | 全氟庚酸及其鹽 | Perfluoroheptanoic acid and its salts | --- | --- |
| 233 | 2,2,3,3,5,5,6,6-八氟-4-(1,1,1,2,3,3,3-七氟丙烷-2-基)嗎啉和2,2,3,3,5,5,6,6-八氟烷 | reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)m | 473-390-7 | --- |

| | | | | |
|-----|--|--|-----------|--------------|
| | -4-(七氟丙基)嗎啉的反應物料 | orpholine | | |
| 234 | 二苯基(2,4,6-三甲基苯甲醯基)膦氧化物 | Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide | --- | --- |
| 235 | 雙(4-氯苯基)磺 | Bis(4-chlorophenyl) sulphone | --- | --- |
| 236 | 2,4,6-三叔丁基苯酚 | 2,4,6-tri-tert-butylphenol | 211-989-5 | 732-26-3 |
| 237 | 2-(2H-苯並三唑-2-基)-4-(1,1,3,3-四甲基丁基)苯酚 | 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol | 211-573-5 | 3147-75-9 |
| 238 | 2-(二甲氨基)-2-[(4-甲基苯基)甲基]-1-[4-(嗎啉-4-基)苯基]丁-1-酮 | 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one | 438-340-0 | 119344-86-4 |
| 239 | 布美曲唑 | Bumetizole | 223-445-4 | 3896-11-5 |
| 240 | 2-苯基丙烯與苯酚的低聚和烷基化反應產物 | Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol | 700-960-7 | --- |
| 241 | 雙(α,α-二甲基苄基)的過氧化物 | Bis(α,α-dimethylbenzyl) peroxide | 201-279-3 | 80-43-3 |
| 242 | 磷酸三苯酯 | Triphenyl Phosphate | 204-112-2 | 115-86-6 |
| 243 | 三苯基硫代磷酸與叔丁基苯衍生物的反應物 | reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives | 421-820-9 | 192268-65-8 |
| 244 | 全氟三丙胺 | Perfluamine | 206-420-2 | 338-83-0 |
| 245 | 八甲基三矽氧烷 | Octamethyltrisiloxane | 203-497-4 | 107-51-7 |
| 246 | 硫代磷酸(O,O,O-三苯基)酯 | O,O,O-triphenyl phosphorothioate | 209-909-9 | 597-82-0 |
| 247 | 6-[(C10-C13)-烷基-(支鏈·不飽和)-2,5-二氧化吡咯烷-1-基]己酸 | 6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid | 701-118-1 | 2156592-54-8 |
| 248 | 1,1,1,3,5,5,5-七甲基-3-[(三甲基矽基)氧基]三矽氧烷 | 1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyloxy)trisiloxane | 241-867-7 | 17928-28-8 |
| 249 | 十甲基四矽氧烷 | Decamethyltetrasiloxane | 205-491-7 | 141-62-8 |
| 250 | 7-[(E)-{2-乙醯氨基-4-[(E)-(4-[4-氯-6-({2-[(4-氟-6-({4-(乙烯基磺酰基)苯基)氨基}-1,3,5-三嗪-2-基)氨基]-5-磺onato-1-naphthyl)diazenyl]-5-meth | tetra(sodium/potassium) 7-[(E)-{2-acetamido-4-[(E)-(4-[4-chloro-6-({2-[(4-fluoro-6-({4-(vinylsulfonyl)phenyl)amino}-1,3,5-triazine-2-yl)amino]propyl)amino)-1,3,5-triazine-2-yl]amino}-5-sulfonato-1-naphthyl)diazenyl]-5-meth | 466-490-7 | --- |

| | | | | |
|-----|--|--|-----------|------------|
| | 基]丙基}氨基)-1,3,5-三 嗪-2-基]氨基)-5-磺酸基 -1-萘基}二氮烯基]-5-甲 氧基苯基}二氮烯 基]-1,3,6-萘三磺酸四鈉/ 鉀鹽 ; 活性棕51 | oxyphenyl}diazenyl]-1,3,6-naphthalenetrisulfonate ; Reactive Brown 51 | | |
| 251 | 十溴二苯乙烷 | 1,1'-(ethane-1,2-diyl)bis[pentabromobenzene] | 284-366-9 | 84852-53-9 |



Company seal

Date: Nov / 17 / 2025

